

Wildlife Habitat (MN)

Koochiching County, Minnesota

[Absence of an entry indicates that data were not estimated]

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1007: Udorthents, shallow (sanitary landfill) | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1020A: Bowstring, frequently flooded | 45 | Poor | Poor | Poor | Poor | Poor | Good | Fair | Poor | Poor | Good |
| Fluvaquents, frequently flooded | 45 | Poor | Poor | Poor | Poor | Poor | Good | Fair | Poor | Poor | Good |
| 1057: Fluvaquents, frequently flooded, loamy | 50 | Poor | Poor | Poor | Poor | Poor | Good | Fair | Poor | Poor | Good |
| Hapludalfs | 45 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| A15A: Effie | 55 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| Ashlake | 35 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| A16B: Ashlake | 45 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| Suomi | 30 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| Effie | 20 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| A17B: | | | | | | | | | | | |
| Suomi | 50 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| Ashlake | 30 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| A17C: | | | | | | | | | | | |
| Suomi | 50 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| Ashlake | 30 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| A17D: | | | | | | | | | | | |
| Suomi | 50 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| Ashlake | 35 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| A18A: | | | | | | | | | | | |
| Effie, depressional | 50 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| Hamre | 30 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| A19A: | | | | | | | | | | | |
| Talmoon, depressional | 45 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| Hamre | 33 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| A20B: | | | | | | | | | | | |
| Kelliher | 45 | Good | Good | Good | Good | Good | Poor | Poor | Fair | Good | Poor |
| Beltrami | 30 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| A22A: | | | | | | | | | | | |
| Talmoon | 55 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| Beltrami | 30 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| A25A: | | | | | | | | | | | |
| Beltrami | 55 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| Talmoon | 25 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| A30C: | | | | | | | | | | | |
| Nebish | 40 | Good | Good | Good | Good | Good | Poor | Poor | Fair | Good | Poor |
| Kelliher | 35 | Good | Good | Good | Good | Good | Poor | Poor | Fair | Good | Poor |
| A31A: | | | | | | | | | | | |
| Northwood | 50 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| Berner | 35 | Very poor | Poor | Fair | Poor | Fair | Good | Good | Poor | Poor | Good |
| A32A: | | | | | | | | | | | |
| Greenwood | 60 | Very poor | Very poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| Lobo | 35 | Poor | Poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| A33A: | | | | | | | | | | | |
| Blomford | 50 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| Northwood | 40 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| A34A: Rifle | 45 | Very poor | Poor | Poor | Poor | Fair | Fair | Fair | Poor | Poor | Fair |
| Rifle, depressional | 45 | Very poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Poor | Good |
| A35A: Ricelake | 55 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| Blomford | 30 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| A36A: Greenwood | 45 | Very poor | Very poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| Greenwood, depressional | 45 | Very poor | Very poor | Poor | Poor | Fair | Good | Good | Poor | Good | Good |
| A37B: Ricelake | 45 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| Cutaway | 35 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| A38A: Cathro | 45 | Very poor | Poor | Fair | Poor | Fair | Good | Good | Poor | Poor | Good |
| Tacoosh | 45 | Very poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Poor | Good |
| A39B: Cutaway | 55 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| Ricelake | 30 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| A40A: Beseman | 45 | Poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Good | Good |
| Merwin | 45 | Poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Good | Good |
| B1C: Taylor | 80 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| B1D: Taylor | 85 | Poor | Fair | Fair | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| B2A: Indus | 65 | Fair | Fair | Fair | Good | Good | Good | Good | Fair | Good | Good |
| Woodslake, depressional | 25 | Very poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| B3B: Alango | 70 | Fair | Fair | Fair | Good | Good | Fair | Good | Fair | Good | Good |
| Indus | 20 | Fair | Fair | Fair | Good | Good | Good | Good | Fair | Good | Good |
| B4A: Indus | 65 | Fair | Fair | Fair | Good | Good | Good | Good | Fair | Good | Good |
| Dora, depressional | 30 | Very poor | Very poor | Very poor | Poor | Poor | Good | Good | Very poor | Poor | Good |
| B5B: Alango | 50 | Fair | Fair | Fair | Good | Good | Fair | Good | Fair | Good | Good |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| B5B: Taylor | 20 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Woodslake, depressional | 20 | Very poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| B6B: Morcom | 50 | Fair | Fair | Good | Good | Good | Poor | Poor | Fair | Good | Poor |
| Thistledew | 30 | Fair | Fair | Good | Good | Good | Poor | Very poor | Fair | Good | Very poor |
| B12D: Taylor | 45 | Poor | Fair | Fair | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Greaney, frequently flooded | 40 | Very poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| B18A: Foglake | 50 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Hassman, depressional | 30 | Very poor | Poor | Fair | Poor | Poor | Good | Good | Poor | Poor | Good |
| B19B: Longsiding | 45 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Good |
| Foglake | 25 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Grasston | 15 | Good | Good | Good | Good | Good | Poor | Poor | Fair | Good | Poor |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| B23A: Effie | 55 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Ashlake | 40 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| B24B: Ashlake | 40 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| Suomi | 35 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Effie | 20 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| B25B: Suomi | 70 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Ashlake | 20 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| B25C: Suomi | 75 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Ashlake | 20 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| B25D: Suomi | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Ashlake | 10 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| B42B: Haystore | 53 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| B42B: Kooch | 35 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| B42C: Haystore | 55 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| Kooch | 40 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| B43A: Northwood | 70 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| Berner | 20 | Very poor | Poor | Fair | Poor | Fair | Good | Good | Poor | Poor | Good |
| B44B: Cutaway | 60 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| Ricelake | 30 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| B46A: Dora | 80 | Very poor | Very poor | Very poor | Poor | Poor | Good | Good | Very poor | Poor | Good |
| B49B: Kooch | 50 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| Hapludalfs | 25 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| B50A: Ratroot | 60 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| B50A: Dora | 20 | Very poor | Very poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| B51A: Blomford | 60 | Poor | Poor | Poor | Poor | Poor | Fair | Fair | Fair | Fair | Fair |
| Northwood | 35 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| B54A: Spoonerville | 65 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Littleswan | 25 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| B55A: Kooch | 45 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| Kab | 25 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| Ratroot | 15 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| B56A: Spoonerville | 55 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Sax, depressional | 40 | Very poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| B57B: Littleswan | 70 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| Baudette | 25 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| B58B: | | | | | | | | | | | |
| Wurtsmith | 45 | Poor | Fair | Good | Fair | Fair | Poor | Very poor | Fair | Fair | Poor |
| Meehan | 40 | Poor | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| B60B: | | | | | | | | | | | |
| Ricelake | 60 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Cutaway | 30 | Fair | Fair | Good | Good | Good | Poor | Very poor | Fair | Good | Very poor |
| B70A: | | | | | | | | | | | |
| Ricelake | 60 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| Blomford | 30 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| B71A: | | | | | | | | | | | |
| Leafriver | 50 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| Deford, depressional | 25 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| Markey | 20 | Very poor | Poor | Fair | Poor | Fair | Good | Good | Poor | Poor | Good |
| B76A: | | | | | | | | | | | |
| Deford | 55 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| Leafriver | 25 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| B77A: | | | | | | | | | | | |
| Meehan | 60 | Poor | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| B77A: | | | | | | | | | | | |
| Deford | 30 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| B78B: | | | | | | | | | | | |
| Graycalm | 60 | Fair | Fair | Fair | Fair | Fair | Poor | Poor | Fair | Good | Poor |
| Grettum | 30 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| Meehan | 3 | Poor | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| B79B: | | | | | | | | | | | |
| Sugarbush | 55 | Good | Good | Good | Good | Good | Poor | Poor | Fair | Good | Poor |
| Graycalm | 25 | Fair | Fair | Fair | Fair | Fair | Poor | Poor | Fair | Good | Poor |
| B79D: | | | | | | | | | | | |
| Sugarbush | 65 | Fair | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Graycalm | 20 | Poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| B80A: | | | | | | | | | | | |
| Rifle | 45 | Very poor | Poor | Fair | Poor | Poor | Good | Good | Poor | Poor | Good |
| Rifle, depressional | 45 | Very poor | Poor | Fair | Poor | Poor | Good | Good | Poor | Poor | Good |
| B82A: | | | | | | | | | | | |
| Greenwood | 45 | Very poor | Poor | Fair | Poor | Poor | Good | Good | Poor | Poor | Good |
| Greenwood, depressional | 45 | Very poor | Poor | Fair | Poor | Poor | Good | Good | Poor | Poor | Good |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| B146A: Kab | 60 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| Ratroot | 30 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| B151A: Kab | 45 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| Kooch | 30 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| B242C: Haystore | 50 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| Hapludalfs | 25 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| B243A: Effie | 50 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Hamre | 40 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| B247A: Leafriver | 50 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| Cormant | 25 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Markey | 20 | Very poor | Poor | Fair | Poor | Fair | Good | Good | Poor | Poor | Good |
| B248A: Soderville | 55 | Fair | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| B248A: Redby | 25 | Poor | Fair | Good | Fair | Good | Fair | Poor | Fair | Good | Poor |
| B249A: Cormant | 60 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Leafriver | 30 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| B250A: Redby | 50 | Poor | Fair | Good | Fair | Good | Fair | Poor | Fair | Good | Poor |
| Cormant | 35 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| B251B: Zimmerman | 55 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Soderville | 35 | Fair | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| B255A: Beseman | 45 | Poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Good | Good |
| Merwin | 45 | Poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Good | Good |
| B256A: Cathro | 45 | Very poor | Poor | Fair | Poor | Fair | Good | Good | Poor | Poor | Good |
| Tacoosh | 45 | Very poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Poor | Good |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| B257A: Greenwood | 60 | Very poor | Very poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| Lobo | 35 | Poor | Poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| B258A: Waskish | 80 | Poor | Poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| B259A: Greenwood | 45 | Very poor | Very poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| Greenwood, depressional | 45 | Very poor | Very poor | Poor | Poor | Fair | Good | Good | Poor | Good | Good |
| B260A: Rifle | 45 | Very poor | Poor | Poor | Poor | Fair | Fair | Fair | Poor | Poor | Fair |
| Rifle, depressional | 45 | Very poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Poor | Good |
| B261A: Daisybay | 45 | Very poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| Terric Haplosaprist | 45 | Poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Good | Good |
| B262A: Dora | 45 | Very poor | Very poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| Terric Haplohemist | 45 | Very poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Poor | Good |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| B263A: | | | | | | | | | | | |
| Lindford, occasionally flooded | 70 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| Littlefork, rarely flooded | 20 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| B264B: | | | | | | | | | | | |
| Littlefork, rarely flooded | 50 | Good | Good | Good | Fair | Good | Poor | Poor | Fair | Good | Poor |
| Lindford, occasionally flooded | 40 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| B265B: | | | | | | | | | | | |
| Urban land | 50 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Kab | 22 | Poor | Poor | Poor | Poor | Poor | Fair | Poor | Fair | Fair | Fair |
| Kooch | 22 | Fair | Fair | Fair | Poor | Fair | Fair | Poor | Fair | Good | Poor |
| Ratroot | 5 | Poor | Poor | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| B273A: | | | | | | | | | | | |
| Waskish | 80 | Poor | Poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| B274A: | | | | | | | | | | | |
| Rifle | 45 | Very poor | Poor | Poor | Poor | Fair | Fair | Fair | Poor | Poor | Fair |
| Rifle, depressional | 45 | Very poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Poor | Good |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| B275A: | | | | | | | | | | | |
| Rifle | 45 | Very poor | Poor | Poor | Poor | Fair | Fair | Fair | Poor | Poor | Fair |
| Rifle, depressional | 45 | Very poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Poor | Good |
| B276A: | | | | | | | | | | | |
| Cathro | 45 | Very poor | Poor | Fair | Poor | Fair | Good | Good | Poor | Poor | Good |
| Tacoosh | 45 | Very poor | Poor | Poor | Poor | Fair | Good | Good | Poor | Poor | Good |
| B277A: | | | | | | | | | | | |
| Greenwood | 45 | Very poor | Very poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| Greenwood, depressional | 45 | Very poor | Very poor | Poor | Poor | Fair | Good | Good | Poor | Good | Good |
| B278A: | | | | | | | | | | | |
| Greenwood | 60 | Very poor | Very poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| Lobo | 30 | Poor | Poor | Poor | Poor | Fair | Fair | Fair | Poor | Fair | Fair |
| B279A: | | | | | | | | | | | |
| Lougee | 45 | Very poor | Very poor | Good | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| Markey | 45 | Very poor | Poor | Fair | Poor | Fair | Good | Good | Poor | Poor | Good |
| B280A: | | | | | | | | | | | |
| Zippel | 90 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| F2B: | | | | | | | | | | | |
| Eaglesnest, bouldery | 45 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Wahlsten, bouldery | 30 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| F3D: | | | | | | | | | | | |
| Eveleth, bouldery | 40 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Eaglesnest, bouldery | 25 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Conic, bouldery | 20 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| F7B: | | | | | | | | | | | |
| Biwabik | 55 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Graycalm | 35 | Poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| F8D: | | | | | | | | | | | |
| Biwabik | 40 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Graycalm | 40 | Poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| Friendship, depressional | 15 | Poor | Fair | Good | Fair | Fair | Poor | Very poor | Fair | Fair | Very poor |
| F21C: | | | | | | | | | | | |
| Quetico, stony | 45 | Very poor | Very poor | Poor | Poor | Poor | Very poor | Very poor | Very poor | Poor | Very poor |
| Rock outcrop | 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| F21D: | | | | | | | | | | | |
| Quetico, stony | 45 | Very poor | Very poor | Poor | Poor | Poor | Very poor | Very poor | Very poor | Poor | Very poor |
| Rock outcrop | 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| F36D: | | | | | | | | | | | |
| Conic, bouldery | 40 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Insula, bouldery | 30 | Poor | Poor | Poor | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| Rock outcrop | 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| F41B: | | | | | | | | | | | |
| Friendship | 40 | Poor | Fair | Good | Fair | Fair | Poor | Very poor | Fair | Fair | Very poor |
| Wurtsmith | 40 | Poor | Fair | Good | Fair | Fair | Poor | Very poor | Fair | Fair | Poor |
| F167B: | | | | | | | | | | | |
| Wahlsten, bouldery | 35 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Insula, bouldery | 20 | Poor | Poor | Poor | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| Rock outcrop | 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| F168A: | | | | | | | | | | | |
| Foglake | 45 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Hassman, depressional | 35 | Very poor | Poor | Fair | Poor | Poor | Good | Good | Poor | Poor | Good |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| F169B: | | | | | | | | | | | |
| Longsiding | 45 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Good |
| Grasston | 25 | Good | Good | Good | Good | Good | Poor | Poor | Fair | Good | Poor |
| F189B: | | | | | | | | | | | |
| Suomi | 45 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Ashlake | 35 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| F190B: | | | | | | | | | | | |
| Ashlake | 55 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| Effie | 25 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| F191A: | | | | | | | | | | | |
| Littleswan | 50 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| Spooner | 30 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| F192B: | | | | | | | | | | | |
| Baudette | 50 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Littleswan | 30 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| F193A: | | | | | | | | | | | |
| Effie | 40 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Hamre | 30 | Very poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| F194D: Suomi | 65 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| F195B: Typic Epiaquepts, very stony, moderately deep | 25 | Very poor | Poor | Fair | Fair | Fair | Fair | Poor | Poor | Fair | Poor |
| Wahlsten, very stony | 20 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Rock outcrop | 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| F196A: Spoonier | 45 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Sax | 35 | Very poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| F197B: Cutaway | 50 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Biwabik | 30 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| F198D: Cutaway | 35 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Suomi | 25 | Fair | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Conic, bouldery | 15 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| F199B: | | | | | | | | | | | |
| Cutaway | 25 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Suomi | 20 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| F200A: | | | | | | | | | | | |
| Cathro | 30 | Very poor | Poor | Fair | Poor | Fair | Good | Good | Poor | Poor | Good |
| Hassman, depressional | 30 | Very poor | Poor | Fair | Poor | Poor | Good | Good | Poor | Poor | Good |
| Northwood | 30 | Very poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| F201B: | | | | | | | | | | | |
| Rollins | 45 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Biwabik | 35 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Friendship | 15 | Poor | Fair | Good | Fair | Fair | Poor | Very poor | Fair | Fair | Very poor |
| F202B: | | | | | | | | | | | |
| Ricelake | 40 | Fair | Fair | Good | Good | Good | Fair | Fair | Fair | Good | Fair |
| Cutaway | 30 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| GP: | | | | | | | | | | | |
| Pits, gravel | 80 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Udipsamments | 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Koochiching County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| I-W: Water, intermittent | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| M-W: Water, miscellaneous | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| NOTCOM: NOTCOM | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W: Water | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |